

AIRPORT LAYOUT PLAN CHECKLIST



To be used in conjunction with Advisory Circular 150/5300-13 Change 7.

All airport development carried out at Federally obligated airports shall be done in accordance with an FAA approved ALP.

- All sheets should be standard sized 22" x 34" (D Size).
- · All sheets should contain title and revision blocks.
- · All sheets shall have the FAA Airspace number shown.
- In the case of smaller airports, some of the following sheets may be combined if practical and approved by FAA.
- The FAA recommends the development of electronic ALPs.

COMPONENTS

- 1. Narrative Report (Summarized or captured on a Standard D size sheet)
- 2. Airport Layout Drawing
- 3. Airport Airspace (Part 77) Drawing
- 4. Inner Portion of the Approach Surface Drawing
- 5. Terminal Area Drawing (if applicable, or include a Building Table with top building elevations within the Airport Layout Drawing)
- 6. Land Use Drawing
- 7. Airport Property Map (Exhibit A)
- **8.** Declared Distances Drawing (if applicable)

| Name of Airport: | |
|---|----|
| Date of Sponsor Review: | |
| Name of Sponsor Project Manager responsible for ALP: | |
| Signature of Sponsor submitting Airport Layout Plan to FAA for review | v: |
| | |
| | |
| Date of FAA Review: | |
| Name of FAA Project Manager responsible for ALP: | |
| Airspace NRA #: | |

AIRPORT LAYOUT PLAN CHECKLIST

Is this airport/runway an Utility runway (<12,500 lb. Aircraft, ref, 14 CFR Part 77 par. 77.2)? If yes ensure narrative and other ALP sheets clearly note "Utility Runway".

How does the information in the Alaska Supplement compare to this ALP set? If the information in the Supplement is not accurate, provide 5010 update to FAA.

| NARRATIVE REPORT SHEET (REVIEW DATE) | YES | NO | NOT |
|--|-----|----|------------|
| AC 150/5300-13 Appendix 7 p. 131 | | | APPLICABLE |
| Note: The Narrative Report sheet is the last sheet of an ALP set. | | | |
| 1. Forecasts (0-5, 6-10, 11-20 years) | | | |
| Total annual operations | | | |
| Itinerant and local operations split | | | |
| Number based aircraft | | | |
| Critical Aircraft- approach speed, wingspan, weight | | | |
| Annual Operations of current critical aircraft | | | |
| Annual Operations of future critical aircraft | | | |
| Number enplanements | | | |
| Airport Reference Code- existing/ future (p. 4) | | | |
| 2. Rationale for proposed development - for new runways discuss | | | |
| items in paragraph 202 (p.9). | | | |
| 3. Rationale for Modifications of Standards or unusual features (p. 5) | | | |
| Equivalent Level of Safety (Appendixes 8 & 9) | | | |
| 4. Summary of staged development with estimated costs (CIP) | | | |
| 5. Letters of Coordination with all levels of Govt. units, as needed. | | | |
| 6. Is coordination with FHWA required? | | | |
| If yes is adequate documentation provided | | | |
| 7. Would increasing runway width be justified for wind coverage? | | | |
| REMARKS: | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| AIRPORT LAYOUT DRAWING (REVIEW DATE) | YES | NO | NOT |
|---|-----|----|------------|
| (Scale 1" = 200' to 1" = 600') (p. 132) | | | APPLICABLE |
| North Arrow, magnetic declination and date | | | |
| 2. Layout of existing and future facilities | | | |
| If interim development is planned, provide separate drawing to | | | |
| show interim dimensions and locations. | | | |
| 3. Wind Rose and coverage analysis (pp. 10, and 87) | | | |
| Data Source and time period of data collection | | | |
| Crosswind Coverage 10.5k, 13k, 16k and 20 k | | | |
| 4. Airport Data Table (Include English units to 0.1' if metric ALP) | | | |
| ICAO and National Airport Identifiers | | | |
| Airport Elevation (MSL calculated from NAVD88) (p. 1) | | | |
| Airport Reference Point (NAD 83 Datum) (pp. 1 and 107) | | | |
| Mean Maximum Temperature | | | |
| Airport and Terminal Navaids (i.e. VOR, NDB, ASR) | | | |
| • Airport Design Group (pp. 1, 4, 5, 7 and 251) | | | |
| Airport Approach Category (pp. 1, 4, 5, 7 and 251) | | | |
| Taxiway Lighting & Marking | | | |
| Survey Source and Type (Appendix 16 pg. 295) | | | |
| 5. Runway Data Table (Include English units to 0.1' if metric ALP) | | | |
| Approach Surfaces (with visibility minimums) (see Appendix 16) | | | |
| Declared Distances (p. 133) | | | |
| Instrument Runway | | | |
| Pavement Strength (Weight Bearing Capacity) (AC 150/5335-5) | | | |
| Identify runway as utility or not | | | |
| Percentage Wind Coverage (p. 87) | | | |
| Runway Dimensions | | | |
| • Runway Safety Area Dimensions (pp. 21, 24, 25, 26 and 139) | | | |
| Runway End Coordinates (NAD 83 Datum - nearest 0.01 second) | | | |
| • Runway Touchdown Elevation (Appendix 7, 2.b.7. (a)) | | | |
| Runway Lighting Type | | | |
| Runway Protection Zone (RPZ) dimensions (In table & on | | | |
| drawing) | | | |
| Runway Marking Type | | | |
| Runway Object Free Area (ROFA) & Precision Object Free Area | | | |
| (POFA) Dimensions (Existing/Proposed /Ultimate) (p. 22) | | | |
| • Runway Visual and Instrument Navaids (i.e. PAPI, ILS, MALSR, | | | |
| REIL) | | | |

| AIRPORT LAYOUT DRAWING (continued) | YES | NO | NOT |
|--|-----|----|------------|
| (Scale 1" = 200' to 1" = 600') | | | APPLICABLE |
| 6. Legend Tables (existing and future) | | | |
| Airport Reference Point (ARP) | | | |
| Buildings | | | |
| • BRL | | | |
| Fencing | | | |
| Property Line | | | |
| Roads | | | |
| Rotating Beacon | | | |
| Shoreline | | | |
| Threshold | | | |
| • Trees | | | |
| Topographic Contours | | | |
| VASI or PAPI (Is PAPI pad shown on the drawings?) | | | |
| Wind Cone/ Segmented Circle | | | |
| 7. Modification to Standards Block (p. 5, appendixes 8 & 9) | | | |
| 8. Vicinity and Location Maps | | | |
| 9. Airport Reference Point (p. 107) | | | |
| 10. Topographic Contours (2' to 10') | | | |
| 11. Elevations (nearest 1/10 of a foot, NAVD88 datum) (p. 132) | | | |
| 12. Building Restriction Line (BRL) and associated Part 77 height at | | | |
| the BRL (pp. 1 & 12) | | | |
| 13. Runway Visibility Zone (if not on Land Use Drawing) (p. 56) | | | |
| 14. Runway Dimensions (length & width) pp.21, 24, 25, 26 and AC 150/5325-4 | | | |
| 15. Runway Orientation (runway numbers) | | | |
| 16. Runway True Bearing (nearest 0.01 degree) | | | |
| 17. Runway Threshold Lights | | | |
| 18. Runway Safety Areas | | | |
| 19. Runway Stage Lengths (existing and future, discuss interim in | | | |
| narrative report) | | | |
| 20. Runway End Coordinates (may be in Runway Data Table) | | | |
| Key RW Stationing is shown (TW & RW intersections, p.132) | | | |
| 21. Displaced Threshold Coordinates | | | |
| 22. Monuments (survey monuments & markers) | | | |
| 23. Runway Object Free Area (ROFA) & Precision Object Free Area | | | |
| (POFA) Dimensions (pp. 2, 22,24-26 & 139) | | | |
| 24. Runway Obstacle Free Zone (OFZ) Dimensions, airport | | | |
| elevation may increase OFZ size (pp. 2, 21, 22 & 139) | | | |

| AIRPORT LAYOUT DRAWING (continued) | YES | NO | NOT |
|---|-----|----|------------|
| (Scale $1'' = 200'$ to $1'' = 600'$) | | | APPLICABLE |
| 25. Runway Separations (OFZ may increase standard)(pp. 12, 14-16) | | | |
| Aircraft Parking | | | |
| Building Restriction Line | | | |
| Parallel Runway | | | |
| Parallel Taxiway/ Taxilane | | | |
| 26. Taxiway Dimensions (length & width) (p. 33) | | | |
| 27. Taxiway Separations (pp. 33 & 141) | | | |
| Aircraft Parking | | | |
| Parallel Taxiway | | | |
| Runway Centerline | | | |
| 28. Taxiway Object Free Area (pp 2, 33, 141) | | | |
| 29. Taxiway Safety Area Dimension (pp. 3, 33, 142) | | | |
| 31. Aprons- locations and dimensions (p. 117) | | | |
| 32. Roads (pp. 23, 123) | | | |
| 33. Building Tables | | | |
| 34. Location and Vicinity Maps | | | |
| 35. Hold Position Signs and Markings (p. 134) | | | |
| 36. Statement "NO THRESHOLD SITING SURFACE" (p. 133) | | | |
| 37. Statement "NO OFZ OBJECT PENETRATIONS" (p. 133) | | | |
| 38. FAA Airspace Review number is shown on each ALP sheet. | | | |

| AIRPORT AIRSPACE DRAWING | (REVIEW DATE) | YES | NO | NOT |
|--|--------------------------|-----|----|------------|
| (Part 77) Scale 1"= 2000' plan view, 1"= 100 | 0' approach profile | | | APPLICABLE |
| ENGLISH UNITS ONLY FOR TH | HIS SHEET. | | | |
| 1. Plan View (based on ultimate runway ler | ngths) | | | |
| USGS Quad for base map | | | | |
| Runway End Numbers | | | | |
| • 50' elevation contours on sloping surface | s (NAVD88 datum) | | | |
| • Top Elevations of Penetrating Objects (a | dd note for penetrations | | | |
| located within the inner portion of the ap | proach surfaces, p. 135) | | | |
| • Note specifying height restriction (ordina | inces/statutes) (p. 135) | | | |
| 2. Profile View (existing & ultimate approa | ches) | | | |
| Ground profile | | | | |
| • Significant Objects (Bluffs, Rivers, Road | s, Schools, Towers) | | | |
| • Existing & Ultimate Runway Ends and A | Approach Slopes | | | |
| 3. Obstruction Data Tables | | | | |
| Obstruction Identification Number | | | | |
| • Description | | | | |
| Amount of Surface Penetration | | | | |
| • Proposed Disposition of the Obstruction | | | | |

| INNER PORTION OF THE APPROACH SURFACE DRAWING | YES | NO | NOT |
|---|----------|-----|----------------|
| (Pp. 2, 13, 19, 20, 134, 135 and 140) | ILS | 110 | APPLICABLE |
| Scale 1"=200' Horizontal, 1"=20' Vertical | | | 7 II I EICHBEE |
| | | | |
| 1. Plan View (Existing & Ultimate) | | | |
| Inner Portion of approach | | | |
| Aerial Photo for base map when available | | | |
| Obstructions (identified by numbers) | | | |
| Property Line within the approaches | | | |
| Road & Railroad (RR) Elevations | | | |
| Physical End of RWY, End Number, Elevation (NAVD88) | | | |
| Ground Contours | | | |
| 2. Profile View | | | |
| Projected View of Plan View | | | |
| Approach Surface | | | |
| Terrain in Extended RWY Safety Area (fences, streams, etc.) | | | |
| Obstructions (same numbers as plan view) | | | |
| • Touchdown zone elevation (highest point in first 3,000 of RWY) | | | |
| Cross Section of Road & Railroad | | | |
| • Part 77 Approach Surface - Does it start at threshold? (p. 133) | | | |
| 3. Obstruction Tables for each approach surface | | | |
| Obstruction Identification Number | | | |
| Description | | | |
| Amount of Surface Penetration | | | |
| Proposed Disposition of the Obstruction | | | |
| Obstruction Clearance Slope (FAA Order 5010.4, Appendix 1, | | | |
| paragraph 57). | | | |
| | | | |
| TERMINAL AREA DRAWING (REVIEW DATE) | YES | NO | NOT |
| Scale 1" = 50' to 1" = 100' | | | APPLICABLE |
| 1. Plan View of Aprons, Buildings, Hangars, Parking Lots | <u> </u> | | |
| 2. Building Data Table | 1 | | |
| Structure Identification Number | <u> </u> | | |

• Top Elevation of Structures

Obstruction Marking (existing/future)

3. Buildings to be Removed or Relocate d noted

| DECLARED DISTANCES DWG (REVIEW DATE) | YES | NO | NOT |
|--|-----|----|------------|
| (Page 1 & Appendix 14, pages 275 - 282) | | | APPLICABLE |
| Scale same as Airport Layout Drawing | | | |
| 1. Clearway Identified | | | |
| 2. Stopway Identified | | | |
| 3. Displaced Threshold identified | | | |
| 4. Relocated Threshold identified | | | |
| 5. End Coordinates of each threshold | | | |
| 6. Declared Distances Table | | | |
| Takeoff Run Available (TORA) | | | |
| Takeoff Distance Available (TODA) | | | |
| Accelerated Stop Distance Available (ASDA) | | | |
| Landing Distance Available (LDA) | | | |
| All RPZ dimensions | | | |
| 7. Runway Safety Area | | | |
| 8. Runway Object Free Area (ROFA) & Precision Object Free Area | | | |
| (POFA) | | | |
| 9. Approach RPZ | | | |
| 10. Departure RPZ | | | |
| NOTIFICATION to Alaska Supplement (5010 Update) done? | | | |

LAND USE / PROPERTY & OCCUPANCY PLANS

| LAND USE DRAWING (pp.137 - 138) | YES | NO | NOT |
|--|-----|----|------------|
| Scale same as ALP Drawing. (Provide English units if metric ALP) | | | APPLICABLE |
| 1. Plan View of Land Uses by Category (Agricultural, Aeronautical, | | | |
| Commercial, Residential, etc.) | | | |
| Land Use Legend is provided | | | |
| 2. Public Facilities (schools, hospitals, parks, etc.) | | | |
| 3. Runway Visibility Zones for Intersecting Runways | | | |
| 4. Show off airport property out to 65 LDN (p.136 a.) | | | |
| 5. Drawing Details - show Aprons, BRL, Property Boundary, | | | |
| Runways, Taxiways, RPZs & Navaids | | | |

| AIRPORT PROPERTY MAP (EXHIBIT A) (pp. 136 -137 & | YES | NO | NOT |
|--|-----|----|------------|
| Order 5100-17 page 1-2) | | | APPLICABLE |
| Scale same as ALP Drawing. (Provide English units if metric ALP) | | | |
| 1. Plan View showing Tracts and Parcels of Land | | | |
| 2. Legend - symbols indicating type of monumentation | | | |
| 3. Data Table (Property Status) | | | |
| Number or Letter and area for each tract / parcel | | | |
| Date Property was acquired or property status | | | |
| Federal Aid Project # under which property was acquired | | | |
| Grantor of property | | | |
| 4. Distances and drawing scale (Meanders, line and curve data) | | | |
| 5. Township / Range Meridian and vicinity map is shown | | | |
| 6. US Survey is shown when available | | | |
| 7. Sponsor surveyor certification | | | |
| 8. Revision Block | | | |
| 9. Approval Blocks (design and ROW) | | | |

| LAND OCCUPANCY DRAWING - Is one required? Check | YES | NO | NOT |
|---|-----|----|------------|
| with FAA Airport Planner (Provide English units if metric ALP) | | | APPLICABLE |
| 1. Plan View indicating Lease Lot Locations | | | |
| 2. Reference lines showing distance right or left of runway | | | |
| centerline including the Building Restriction Line (BRL) | | | |
| 3. Stationing for runway thresholds, safety areas, taxiway, aprons, | | | |
| runway intersections and at least one station per lease blocks. | | | |
| 4. Stationing every 500' on the runway, with tick marks every 100' | | | |
| 5. Runway true bearing, length and width | | | |
| 6. RPZ dimensions and airport boundary | | | |
| 7. Airport boundary, buildings, towers, navaids, streams, lakes, | | | |
| ponds, roads, utilities (power lines, fuel tanks, water & sewer | | | |
| lines) | | | |
| 8. Land Occupancy Block showing lessee, ADA#, square footage, | | | |
| and expiration date of lease | | | |
| 9. Revision Block | | | |
| 10. Signature Blocks for DOT&PF | | | |